

General Locker

Nominal Dimensions:

- Width: 12, 15, 18, 21, 24
- Depth: 12, 15, 18, 21, 24
- Height: 48, 60, 72, 84

Assembly:

- Factory assembled

Platform Base:

- Field installed and/or fabricated, plywood or decorative kick trim available

Platform Base nominal dimensions:

- Height: 4" nominal
- Width: 3" less than locker depth (i.e. 21"D locker = 18" (deep) platform base)
- Length: Full length of locker run except at finished ends - 1/2" recess at finished ends

Typical Configurations at 72" tall locker:

- 1 Door: 1 fixed shelf above 2 coat hooks, keyed lock, number plate
- 2-3 Doors: 2 coat hooks, keyed lock, number plate
- 4-6 Doors: keyed lock, number plate
- 2 Door Z: (available in a laminate flat slab) 1 coat hook, keyed lock, number plate, European hinge

Handle & Lock Placement:

- Field Installed
- Factory located, typically centered vertically along edge of door, with consideration given to lock type, pull or knob style, mirrors and other accessories

Fillers, End Panels and Similar Accessories:

- Field installed or fabricated except as noted below
- Field supplied installation hardware, fasteners and cleats

Materials

- As noted below

Interiors

Sides, Shelves, Partitions:

- 3/4" thick, 45 lb density, industrial grade particle board core, white melamine, both faces

Back:

- 1/2" thick 45 lb density, industrial grade particle board core, white melamine, both faces
- Recessed 3/8"

Case Edges:

- Front Edge: PVC
- Top, bottom and back edges not banded

Venting Recess:

- Top, bottom and horizontal partitions; 3/8"

Locks and Exterior Accessories (Field Installed)

Keyed Deadbolt:

- Two keys supplied per lock

Cam Padlock Hasp:

- Protective, clear cover plate to prevent owner supplied lock from damaging decorative surface of the door, affixed with four fasteners, stainless steel and brass cover plates also available

Keyed Combination Lock:

- Three number combination, five changeable combination choices, two master keys supplied per job

Electronic Keypad Lock:

- Keypad with input button, manual turn knob with cam lever assembly, control key override, 4-digit user code, 6-digit control code (Call for availability)

Coat Hook:

- Two single-prong chrome or brass, side mounted in compartments that exceed 30" in height

Number Plates: Field Installed:

- 1" x 2" chrome or brass with black numbers, factory located with pre-drilled holes, field installed with black fasteners

Fillers and Sloped Tops (Field Installed)

End Panels:

- Style/Material (see door section for construction): high pressure laminate

Corner Top Filler Panel:

- 27" x 27" melamine (field supplied mounting hardware/cleats)

Filler Panel:

- 12" wide by the height of the locker, matches door stock

Sloped Top: available in flat slab only

- 1" deeper than the locker depth to allow for a 6" rise in back
- One, 8' panel; two, triangle end panels; L-brackets (mounting hardware/cleats)

Vertical Corner Filler:

- Field fabricated "L" from 12" wide filler panels as described above

Hardware

Hinges:

- Mounted right or left (right typical)
- Blum European style clip hinge with separate base plate, 120° opening, adjustable in all planes of operation
- Two hinges on doors up to 42" long, three hinges on doors that exceed 42" long; louver and other styles available
- Nickel finish

Doors

Number of Doors: 1, 2, 3, 4, 5, 6 and 2 Door Z

Reveal:

- 1/8" all around

Style/Material:

- High pressure laminate flat slab
- **High Pressure Laminate Flat Slab Doors, End Panels and Accessories Core:**
- 3/4" thick, 45 lb density industrial grade particle board core, decorative high pressure laminate face, balancing backer

Edges:

- PVC

Accessories

Cantilevered Shelf
Adjustable Shelf
Fixed Shelf
Garment Rod with Hooks
Lock Box Unit
Name Plate
Drawer with or without Lock
Shoe Shelf Cubbies
Knob
Wire Pull
Lever Handle
4" Kick Trim
5"x7" Mirror

Digilock® is a registered trademark of Digilock

Locker Configurations:



Available in 1-6 doors or 2-door Z.
Customization available.

V081221 Version subject to change


Standard Features:



Knob pull (KP)



Coat hook (2 standard on 1, 2 & 3 Tier)



6-point adjustable hinge



.75" fully doweled casebody construction



Built in door vent

Optional Features:



Recessed pull (RP)




4" satin nickel pulls



Garment rod (GR)



Double-prong coat hook (CHR_D)



Number plates, round (CHRRound) or rectangular (CHR)



Keyed combination lock (MS)



Zephyr Electronic Lock (2310)



CompX Lock-ADA compliant (Regulator)



Standard keyed deadbolt (Pull required with this lock)



Cam padlock hasp (PADLCAM) (optional with or without pull)

**ADA locks available upon request. Contact Customer Service for availability.



World Famous Lockers-Fixed

*Heights include 4" plywood unfinished ladder base



1 Compartment with: Shelf, Door, Right European Hinge, 2 Coat Hooks

Model #	Wgt	W" x H" x D"
1T-127618	106	12 x 76 x 18
1T-157618	117	15 x 76 x 18
1T-187618	128	18 x 76 x 18

Sizes Available W: 12 - 24" (3" increments) H*: 52, 64, 76, 88"
D: 12 - 24" (3" increments)

1T-157618



2 Compartments each with: Door, Right European Hinge, 2 Coat Hooks

Model #	Wgt	W" x H" x D"
2T-127618	126	12 x 76 x 18
2T-157618	142	15 x 76 x 18
2T-187618	158	18 x 76 x 18

Sizes Available W: 12 - 24" (3" increments) H*: 52, 64, 76, 88"
D: 12 - 24" (3" increments)

2T-157618



3 Compartments each with: Door, Right European Hinge, 2 Coat Hooks

Model #	Wgt	W" x H" x D"
3T-127618	151	12 x 76 x 18
3T-157618	172	15 x 76 x 18
3T-187618	194	18 x 76 x 18

Sizes Available W: 12 - 24" (3" increments) H*: 52, 64, 76, 88"
D: 12 - 24" (3" increments)

3T-157618



4 Compartments each with: Door, Right European Hinge

Model #	Wgt	W" x H" x D"
4T-127618	172	12 x 76 x 18
4T-157618	199	15 x 76 x 18
4T-187618	226	18 x 76 x 18

Sizes Available W: 12 - 24" (3" increments) H*: 52, 64, 76, 88"
D: 12 - 24" (3" increments)

4T-157618



5 Compartments each with: Door, Right European Hinge

Model #	Wgt	W" x H" x D"
5T-127618	196	12 x 76 x 18
5T-157618	229	15 x 76 x 18
5T-187618	261	18 x 76 x 18

Sizes Available W: 12 - 24" (3" increments) H*: 52, 64, 76, 88"
D: 12 - 24" (3" increments)

5T-157618



6 Compartments each with: Door, Right European Hinge

Model #	Wgt	W" x H" x D"
6T-127618	220	12 x 76 x 18
6T-157618	258	15 x 76 x 18
6T-187618	296	18 x 76 x 18

Sizes Available W: 12 - 24" (3" increments) H*: 52, 64, 76, 88"
D: 12 - 24" (3" increments)

6T-157618



2 Z Door Compartments each with: Door, Right European Hinge, 2 Coat Hooks

Model #	Wgt	W" x H" x D"
2DZL-127618	126	12 x 76 x 18
2DZL-157618	142	15 x 76 x 18
2DZL-187618	158	18 x 76 x 18

Sizes Available W: 12 - 24" (3" increments) H*: 52, 64, 76, 88"
D: 12 - 24" (3" increments)

2DZL-127618

Finishing Panels

Sloped Top, 1.75" Front Face, Vertical Wood Grain



Model #	Wgt	W" x H" x D"
ST-241018	43	24 x 9.25 x 18
ST-361018	55	36 x 9.25 x 18
ST-481018	68	48 x 9.25 x 18

Sizes Available W: 12 - 48" (3" increments)
H: As Needed D: As Needed
Flat panel w/ horizontal grain available upon request

Tall Scribe/Filler



Model #	Wgt	W" x H" x D"
T0001-048423	7	4 x 84 x 23

Sizes Available W, H & D: As Needed
Field Assembly Required

Tall Corner Filler



Model #	Wgt	W" x H" x D"
T0005-048423	6	4 x 84 x 23

Sizes Available W, H & D: As Needed
Field Assembly Required

Finished End Panel, Finished on One Face and 4 Edges



Model #	Wgt	W" x H" x D"
FEP-017218	26	.75 x 72 x 18

Sizes Available W: 0.75" H: As Needed D: As Needed

Kick Trim, Raw Edges, One Face is Finished



Model #	Wgt	H" x L"
KT-0496	5	4 x 96

Sizes Available H: 4" L: 96"
Field cutting required